

---

# **Brewtils Documentation**

***Release 2.4.15***

**Logan Asher Jones**

**Nov 30, 2020**



---

## Contents

---

<b>1</b>	<b>BG-Utills</b>	<b>3</b>
1.1	Deprecation . . . . .	3
1.2	Installation . . . . .	3
1.3	Contributing . . . . .	3
<b>2</b>	<b>Installation</b>	<b>5</b>
2.1	Stable release . . . . .	5
2.2	From sources . . . . .	5
<b>3</b>	<b>Contributing</b>	<b>7</b>
3.1	Types of Contributions . . . . .	7
3.2	Get Started! . . . . .	8
3.3	Pull Request Guidelines . . . . .	9
3.4	Tips . . . . .	9
<b>4</b>	<b>Credits</b>	<b>11</b>
4.1	Development Leads . . . . .	11
4.2	Contributors . . . . .	11



Contents:



Common components shared between Bartender and Brew-view.

## 1.1 Deprecation

This library is deprecated, please see <https://github.com/beer-garden/beer-garden/>

## 1.2 Installation

```
$ pip install bg-utils
```

## 1.3 Contributing

1. Clone it: (*git clone https://github.com/beer-garden/bg-utils.git*)
2. Create your feature branch (*git checkout -b my-new-feature*)
3. Commit your changes (*git commit -am 'Add some feature'*)
4. Push to the branch (*git push origin my-new-feature*)
5. Create new Merge Request





### 2.1 Stable release

To install `bg-utils`, run this command in your terminal:

```
$ pip install bg-utils
```

This is the preferred method to install `bg-utils`, as it will always install the most recent stable release.

If you don't have `pip` installed, this [Python installation guide](#) can guide you through the process.

### 2.2 From sources

The sources for `bg-utils` can be downloaded from the [Github repo](#).

You can either clone the public repository:

```
$ git clone git@github.com:beer-garden/bg-utils.git
```

Or download the [tarball](#):

```
$ curl -OL https://github.com/beer-garden/bg-utils/tarball/master
```

Once you have a copy of the source, you can install it with:

```
$ python setup.py install
```



Contributions are welcome, and they are greatly appreciated! Every little bit helps, and credit will always be given. You can contribute in many ways:

## 3.1 Types of Contributions

### 3.1.1 Report Bugs

Report bugs at <https://github.com/beer-garden/bg-utils/issues>.

If you are reporting a bug, please include:

- Your operating system name and version.
- Any details about your local setup that might be helpful in troubleshooting.
- Detailed steps to reproduce the bug.

### 3.1.2 Fix Bugs

Look through the GitHub issues for bugs. Anything tagged with “bug” and “help wanted” is open to whoever wants to implement it.

### 3.1.3 Implement Features

Look through the GitHub issues for features. Anything tagged with “enhancement” and “help wanted” is open to whoever wants to implement it.

### 3.1.4 Write Documentation

Bg-Utills could always use more documentation, whether as part of the official bg-utils docs, in docstrings, or even on the web in blog posts, articles, and such.

### 3.1.5 Submit Feedback

The best way to send feedback is to file an issue at <https://github.com/beer-garden/bg-utils/issues>.

If you are proposing a feature:

- Explain in detail how it would work.
- Keep the scope as narrow as possible, to make it easier to implement.
- Remember that this is a volunteer-driven project, and that contributions are welcome :)

## 3.2 Get Started!

Ready to contribute? Here's how to set up bg-utils for local development.

1. Fork the bg-utils repo on GitHub.
2. Clone your fork locally:

```
$ git clone git@github.com:your_name_here/bg-utils.git
```

3. Install your local copy into a virtualenv. Assuming you have virtualenvwrapper installed, this is how you set up your fork for local development:

```
$ mkvirtualenv bg-utils
$ cd bg-utils/
$ python setup.py develop
```

4. Create a branch for local development:

```
$ git checkout -b name-of-your-bugfix-or-feature
```

Now you can make your changes locally.

5. When you're done making changes, check that your changes pass flake8 and the tests, including testing other Python versions with tox:

```
$ flake8 bg_utils test
$ nosetests
$ tox
```

To get flake8 and tox, just pip install them into your virtualenv.

6. Commit your changes and push your branch to GitHub:

```
$ git add .
$ git commit -m "Your detailed description of your changes."
$ git push origin name-of-your-bugfix-or-feature
```

7. Submit a pull request through the GitHub website.

## 3.3 Pull Request Guidelines

Before you submit a pull request, check that it meets these guidelines:

1. The pull request should include tests.
2. If the pull request adds functionality, the docs should be updated. Put your new functionality into a function with a docstring, and add the feature to the list in README.rst.
3. The pull request should work for Python 2.7, 3.5, and 3.6. Check [https://travis-ci.org/beer-garden/bg-utils/pull\\_requests](https://travis-ci.org/beer-garden/bg-utils/pull_requests) and make sure that the tests pass for all supported Python versions.

## 3.4 Tips

To run a subset of tests:

```
$ nosetests test/models_test.py:SystemTest.test_instance_names
```



#### 4.1 Development Leads

- Logan Asher Jones <loganasherjones@gmail.com>
- Matt Patrick

#### 4.2 Contributors

None yet. Why not be the first?